



Pony Testing International Group

报告编号(Report ID): MPIUOYML606367U1



海运 By Sea

中国认可
检验
INSPECTION
CNAS IB0279

货物运输条件鉴定书

Certification for Safe Transport of Goods

非限制性货物
Non-restricted Goods样品名称及型号
(Sample Name &
Model)圆柱形锂离子电芯 型号: 18650-2200mAh
Cylindrical Li-ion Cell Model: 18650-2200mAh
3.7V 2200mAh 8.14Wh委托单位
(Applicant)广西东来新能源科技有限公司
Guangxi Donglai New Energy Technology Co. LTD生产单位
(Manufacturer)广西东来新能源科技有限公司
Guangxi Donglai New Energy Technology Co. LTDPONY 谱尼测试
Pony Testing International Group
www.ponytest.comNo.: MPIUOYML606367U1
Code: Ud06lwZ4

声明 Statement

1. 本报告仅对委托方所送样品负责。
The report is responsible for the provided sample only.
2. 本报告页面所使用“PONY”、“谱尼”字样为本单位的注册商标,其受《中华人民共和国商标法》保护,任何未经本单位授权的擅自使用和仿冒、伪造、变造“PONY”、“谱尼”商标均为违法侵权行为,本单位将依法追究其法律责任。
The pattern and characters of "PONY" and "谱尼" used in this report are protected by the trademark law of the People's Republic of China. Any unauthorized usage, counterfeit, forgery and alteration of trademarks of "PONY" and "谱尼" are the violations of the law. The PONY has the right to pursue all legal liabilities of the subject of the delict.
3. 委托方必须如实提供样品及资料,并保证申报品名和样品以及运输货物相同,否则本单位不承担任何相关责任。
The applicant shall provide accurately and truly the sample and the description of the sample, shall guarantee the declared sample's name to match with the sample and transport of goods. Otherwise PONY will not bear any relevant responsibility.
4. 本报告经审核人、批准人签字并加盖公章后生效。
This report shall become effective as soon as it reviewed by the checker and signed by the approver and stamped.
5. 委托方对报告数据如有异议,请于报告完成之日起十五日内向本单位书面提出复测申请,同时附上报告原件并预付复测费。
If the applicant has any objection about the results of the report, shall provide a written re-test application and simultaneously attach the original report and pay the retest fees in advance within fifteen days since the approval date of the report.
6. 不可重复性或不能进行复测的实验,不进行复测,委托方放弃异议权利。
Tests that can not be repeated and tested shall not be perform the retest, the applicant shall abandon the right of any objection.
7. 本报告私自转让、盗用、冒用、涂改、未经本单位批准的复制(全文复制除外)或以其它任何形式的篡改均属无效,本单位将对上述行为追究其相应的法律责任。
The report is invalid in case of illegal transfer, embezzlement, imposture, modification or any altering, reproducing except in full, without approval of PONY. PONY shall investigate and affix the applicant's legal liability accordingly.
8. 本报告不考虑国家及经营人差异。
The certificate/report takes no account of the differences of countries and applicants.
9. 本报告中的运输方式应与货物的运输方式相一致,不同的运输方式,结果可能会有差异。
The transport means of goods should be as the same as that declared in the report, as in case of different transport means of goods the results may be different.

▲ 防伪说明:

- (1) 报告编号是唯一的;
- (2) 报告采用特制防伪纸张印制,纸张表面带有“PONY”防伪纹路,该防伪纹路不支持复印,即复制件不会带有“PONY”防伪纹路;
- (3) 报告采用的防伪纸张内部亦加带有高科技“PONY”防伪水印,只有在验钞机等紫外线照射下方可显出无色荧光防伪字样;
- (4) 报告所盖防伪骑缝章中的一部分加盖于本单位的留底报告上,报告与本单位留底报告的骑缝章应拼合完整无缺。



全国服务热线
400-819-5688

WWW.PONYTEST.COM



集团微信订阅号 集团微信服务号

北京实验室:(010)83055000
北京医学实验室:(010)62450233/48010
北京谱尼科技公司:(010)80415661
上海实验室:(021)64851999
上海医学实验室:(021)37895599
上海松江实验室:(021)37895599
青岛实验室:(0532)88706866
青岛医学实验室:(0532)88706866
深圳实验室:(0755)26050909
深圳医学实验室:(0755)26050909

武汉实验室:(027)85446975
武汉车附所:(027)82318175
武汉医学实验室:(027)85446975
吉林医学实验室:(0431)80529700
长春实验室:(0431)80530198
大连实验室:(0411)87336618
大连医学实验室:(0411)87336618
哈尔滨实验室:(0451)58627755
黑龙江医学实验室:(0451)58603455
苏州医学实验室:(0512)62997900

新疆实验室:(0991)6684186
石家庄实验室:(0311)85376660
西安实验室:(029)89608785
杭州实验室:(0571)87219096
杭州医学实验室:(0571)87219096
宁波实验室:(0574)87977185
天津实验室:(022)23607888
天津医学实验室:(022)23607888
成都实验室:(028)87702708
南宁实验室:(0771)5518818

太原实验室:(0351)7555722
合肥实验室:(0551)63843474
广州实验室:(020)89224310
厦门实验室:(0592)5568048
内蒙古医学实验室:(0471)3450025
呼和浩特实验室:(0471)3450025
贵州实验室:(0851)85221000
郑州实验室:(0371)69350670
郑州协力润华医学实验室:
(0371)63279066



Pony Testing International Group

Report ID: MPIUOYML606367U1

Page 1 of 3

货物运输条件鉴定书

Certification for Safe Transport of Goods

样品名称及型号 Sample Name & Model	圆柱形锂离子电芯 型号: 18650-2200mAh 3.7V 2200mAh 8.14Wh		
	Cylindrical Li-ion Cell Model: 18650-2200mAh 3.7V 2200mAh 8.14Wh		
委托单位 Applicant	广西东来新能源科技有限公司		
	Guangxi Donglai New Energy Technology Co. LTD		
生产单位 Manufacturer	广西东来新能源科技有限公司		
	Guangxi Donglai New Energy Technology Co. LTD		
检验方法、程序 Inspection method and procedure	国际海事组织《国际海运危险货物规则》(2020 版) (Amendment 40-20) IMO International Maritime Dangerous Goods Code (2020 Edition) (Amendment 40-20)		
电池信息 Battery information	电池种类/Battery type	锂离子电池芯 Lithium ion cell	
	型号规格/Model	18650-2200mAh 3.7V 2200mAh 8.14Wh	
	外观/Appearance	浅紫色/ Light purple 65.1mm×18.1mm	
包装件信息 Package information	尺寸/Size	430mm(L)×225mm(W)×170mm(H)	
	毛重/Gross weight	18.90kg	
	电池个数/Battery number	400pcs	
	放置方式/Placement	只有电池/Battery only	
鉴定结果 Identification conclusion	1. 危险性识别 (Hazard identification) 锂离子电池芯 Lithium ion cell. 2. 按照国际海事组织《国际海运危险货物规则》办理类项 (Suggestion according to IMO IMDG Code) 根据特殊规定 188, 该物品不受 IMO IMDG Code 其他规定限制。 The goods are not subject to other provisions of IMO IMDG Code according to special provision 188. 3. 包装要求 (Packaging requirements) 普通包装。 Not restricted in IMO IMDG Code.		
检验日期 Inspection date	2021-11-22 ~ 2022-01-01	签发日期 Issue Date	2022-01-01
备注 Comment	本报告有效期至 2022 年 12 月 31 日。 The report is valid until December 31, 2022.		

主检人 :
(Appraiser)

审核人 :
(Checker)

批准人 :
(Approver)

PONY 谱尼测试
 Pony Testing International Group

©Hotline 400-819-5688

www.ponytest.com

 谱尼测试集团深圳有限公司
 地址: 深圳市宝安区福海街道桥头社区永和路鑫豪盛工业园1栋、2栋3层
 电话: 0755-26050909

 北京实验室: (010)83055000
 北京谱尼科技公司: (010)80415661
 上海实验室: (021)64851999
 上海医学实验室: (021)37895599
 上海松江实验室: (021)37895599
 青岛实验室: (0532)88706866
 青岛医学实验室: (0532)88706866
 深圳实验室: (0755)26050909
 深圳医学实验室: (0755)26050909
 南宁实验室: (0771)5518818
 贵州实验室: (0851)85221000

 武汉实验室: (027)85446975
 武汉车附所: (027)82318175
 武汉医学实验室: (027)85446975
 吉林医学实验室: (0431)80529700
 长春实验室: (0431)80530198
 大连实验室: (0411)87336618
 大连医学实验室: (0411)87336618
 哈尔滨实验室: (0451)58627755
 黑龙江医学实验室: (0451)58603455
 苏州实验室: (0512)62997900
 苏州医学实验室: (0512)62997900

 新疆实验室: (0991)6684186
 石家庄实验室: (0311)85376660
 西安实验室: (029)89608785
 西安医学实验室: (029)89608785
 西安创尼实验室: (029)81123093
 杭州实验室: (0571)87219096
 杭州医学实验室: (0571)87219096
 宁波实验室: (0574)87977185
 天津实验室: (022)23607888
 天津医学实验室: (022)23607888
 成都实验室: (028)87702708

 太原实验室: (0351)7555722
 合肥实验室: (0551)63843474
 广州实验室: (020)89224310
 厦门实验室: (0592)5568048
 内蒙古医学实验室: (0471)3450025
 呼和浩特实验室: (0471)3450025
 郑州实验室: (0371)69350670
 郑州协力润华医学实验室: (0371)63279066
 苏州谱尼安全检测实验室: (0512)62997900
 (0512)62997900



Pony Testing International Group

Report ID: MPIUOYML606367U1

Page 2 of 3

货物运输条件鉴定书

Certification for Safe Transport of Goods

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>客户声明 Consignor announcement:</p> <p>a. 本报告所述锂电池不属于损坏或有缺陷的锂电池。 Lithium cells and batteries listed in this report are not identified as being damaged or defective.</p> <p>b. 本报告所述锂电池不属于以处置或回收为目的的运输。 Lithium cells and batteries listed in this report are not be transported for disposal or recycling.</p> <p>c. 本报告所述锂电池按照《国际海运危险货物规则》2.9.4.5 规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IMDG Code 2.9.4.5.</p>
2	<p>a. 本报告所述锂电池已通过联合国《试验和标准手册》第 III 部分 38.3 小节相应测试要求。(报告编号: MOI9UEJT23526721) Lithium cells and batteries listed in this report are of the types proven to meet the requirement of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. (Report No.: MOI9UEJT23526721)</p> <p>b. 电池或电池组的制造商和代理商已提供《试验和标准手册》第三部分第 38.3 小节第 38.3.5 段规定的测试概要。见(报告编号: MOI9UEJT23527749) Manufacturers and subsequent distributors of cells or batteries have provided the test summary as specified in the UN Manual of Tests and Criteria, Part III, sub-section 38.3, paragraph 38.3.5. see (Report No.: MOI9UEJT23527749)</p> <p>c. 包装件能够承受 1.2 米跌落试验。(报告编号: MOIKLCJT24689746) The package has passed the 1.2m drop test. (Report No.: MOIKLCJT24689746)</p>
3	<p>a. 锂电池芯或电池组装在完全封闭的内包装中,再装入坚固的外包装。外包装需符合 4.1.1.1、4.1.1.2 和 4.1.1.5 规定。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in strong outer packagings which conform to the provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.5.</p>
4	<p>a. 电池具有适当的防短路措施。这包括在同一包装件内防止与导电材料接触而导致短路。 Cells and batteries are properly protected to prevent short circuits. This includes protection against contact with electrically conductive materials within the same packaging that could lead to a short circuit.</p>
5	<p>a. 每个包装件应贴锂电池标记, 见 5.2.1.10。 Each package shall be marked with the appropriate lithium battery mark, see 5.2.1.10.</p>
6	<p>a. 每个包装件毛重不得超过 30 千克。 Each package shall not exceed 30 kg gross mass.</p>

PONY 谱尼测试
Pony Testing International Group

☎Hotline 400-819-5688

www.ponytest.com

谱尼测试集团深圳有限公司
地址: 深圳市宝安区福海街道桥头社区永和路鑫泰盛工业园 1 栋、2 栋 3 层
电话: 0755-26050909

北京实验室: (010)83055000
北京谱尼科技公司: (010)80415661
上海实验室: (021)64851999
上海医学实验室: (021)37895599
上海松江实验室: (021)37895599
青岛实验室: (0532)88706866
青岛医学实验室: (0532)88706866
深圳实验室: (0755)26050909
深圳医学实验室: (0755)26050909
南宁实验室: (0771)5518818
贵州实验室: (0851)85221000

武汉实验室: (027)85446975
武汉车附所: (027)82318175
武汉医学实验室: (027)85446975
吉林医学实验室: (0431)80529700
长春实验室: (0431)80530198
大连实验室: (0411)87336618
大连医学实验室: (0411)87336618
哈尔滨实验室: (0451)58627755
黑龙江医学实验室: (0451)58603455
苏州实验室: (0512)62997900
苏州医学实验室: (0512)62997900

新疆实验室: (0991)6684186
石家庄实验室: (0311)85376660
西安实验室: (029)89608785
西安医学实验室: (029)89608785
西安创尼实验室: (029)81123093
杭州实验室: (0571)87219096
杭州医学实验室: (0571)87219096
宁波实验室: (0574)87977185
天津实验室: (022)23607888
天津医学实验室: (022)23607888
成都实验室: (028)87702708

太原实验室: (0351)7555722
合肥实验室: (0551)63843474
广州实验室: (020)89224310
厦门实验室: (0592)5568048
内蒙古医学实验室: (0471)3450025
呼和浩特实验室: (0471)3450025
郑州实验室: (0371)69350670
郑州协力润华医学实验室: (0371)63279066
苏州安全培训及应急救援实验室: (0512)62997900



Pony Testing International Group


Report ID: MPIUOYML606367U1

Page 3 of 3

样品图片 (Photo of the Sample):

电池 Battery

样品编号 / Sample No.: L606367U1



包装件 Package



仅对原报告照片中的样品负责

Authenticate the photo on original report only

***报告结束 End of report ***

PONY 谱尼测试
Pony Testing International Group

©Hotline 400-819-5688

www.ponytest.com

谱尼测试集团深圳有限公司
地址：深圳市宝安区福海街道桥头社区永和路鑫盛工业园1栋、2栋3层
电话：0755-26050909

北京实验室: (010)83055000
北京谱尼科技公司: (010)80415661
上海实验室: (021)64851999
上海医学实验室: (021)37895599
上海松江实验室: (021)37895599
青岛实验室: (0532)88706866
青岛医学实验室: (0532)88706866
深圳实验室: (0755)26050909
深圳医学实验室: (0755)26050909
南宁实验室: (0771)5518818
贵州实验室: (0851)85221000

武汉实验室: (027)85446975
武汉车附所: (027)82318175
武汉医学实验室: (027)85446975
吉林医学实验室: (0431)80529700
长春实验室: (0431)80530198
大连实验室: (0411)87336618
大连医学实验室: (0411)87336618
哈尔滨实验室: (0451)58627755
黑龙江医学实验室: (0451)58603455
苏州实验室: (0512)62997900
苏州医学实验室: (0512)62997900

新疆实验室: (0991)6684186
石家庄实验室: (0311)85376660
西安实验室: (029)89608785
西安医学实验室: (029)89608785
西安创尼实验室: (029)81123093
杭州实验室: (0571)87219096
杭州医学实验室: (0571)87219096
宁波实验室: (0574)87977185
天津实验室: (022)23607888
天津医学实验室: (022)23607888
成都实验室: (028)87702708

太原实验室: (0351)7555722
合肥实验室: (0551)63843474
广州实验室: (020)89224310
厦门实验室: (0592)5568048
内蒙古医学实验室: (0471)3450025
呼和浩特实验室: (0471)3450025
郑州实验室: (0371)69350670
郑州协力润华医学实验室: (0371)69350670
苏州安全评价儿童安全座椅碰撞实验室: (0512)62997900